


# CLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

1. (Currently Amended) A compound according to formula I



wherein

P is selected from aryl and heteroaryl phenyl;

R<sup>1</sup> is attached to P via a carbon atom on ring P and is selected from the group consisting of hydroxy hydrogen, halo, nitro, C<sub>1-6</sub>alkylhalo, OC<sub>1-6</sub>alkylhalo, C<sub>1-6</sub>alkyl, OC<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkylOR<sup>5</sup>, C<sub>0-6</sub>alkylcyano and C<sub>0-6</sub>alkylNR<sup>5</sup>R<sup>6</sup>, C<sub>2-6</sub>alkenyl, OC<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, OC<sub>2-6</sub>alkynyl, C<sub>0-6</sub>alkylC<sub>3-6</sub>cycloalkyl, OC<sub>0-6</sub>alkylC<sub>3-6</sub>cycloalkyl, C<sub>0-6</sub>alkylaryl, OC<sub>0-6</sub>alkylaryl, CHO, (CO)R<sup>5</sup>, O(CO)R<sup>5</sup>, O(CO)OR<sup>5</sup>, O(CNR<sup>5</sup>)OR<sup>5</sup>, C<sub>1-6</sub>alkylOR<sup>5</sup>, OC<sub>2-6</sub>alkylOR<sup>5</sup>, C<sub>1-6</sub>alkyl(CO)R<sup>5</sup>, OC<sub>1-6</sub>alkyl(CO)R<sup>5</sup>, C<sub>0-6</sub>alkylCO<sub>2</sub>R<sup>5</sup>, OC<sub>1-6</sub>alkylCO<sub>2</sub>R<sup>5</sup>, C<sub>0-6</sub>alkyleyano, OC<sub>2-6</sub>alkyleyano, C<sub>0-6</sub>alkylNR<sup>5</sup>R<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>R<sup>6</sup>, C<sub>1-6</sub>alkyl(CO)NR<sup>5</sup>R<sup>6</sup>, OC<sub>1-6</sub>alkyl(CO)NR<sup>5</sup>R<sup>6</sup>, C<sub>0-6</sub>alkylNR<sup>5</sup>(CO)R<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>(CO)R<sup>6</sup>, C<sub>0-6</sub>alkylNR<sup>5</sup>(CO)NR<sup>5</sup>R<sup>6</sup>, C<sub>0-6</sub>alkylSR<sup>5</sup>, OC<sub>2-6</sub>alkylSR<sup>5</sup>, C<sub>0-6</sub>alkyl(SO)R<sup>5</sup>, OC<sub>2-6</sub>alkyl(SO)R<sup>5</sup>, C<sub>0-6</sub>alkylSO<sub>2</sub>R<sup>5</sup>, OC<sub>2-6</sub>alkylSO<sub>2</sub>R<sup>5</sup>, C<sub>0-6</sub>alkyl(SO<sub>2</sub>)NR<sup>5</sup>R<sup>6</sup>, OC<sub>2-6</sub>alkyl(SO<sub>2</sub>)NR<sup>5</sup>R<sup>6</sup>, C<sub>0-6</sub>alkylNR<sup>5</sup>(SO<sub>2</sub>)R<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>(SO<sub>2</sub>)R<sup>6</sup>, C<sub>0-6</sub>alkylNR<sup>5</sup>(SO<sub>2</sub>)NR<sup>5</sup>R<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>(SO<sub>2</sub>)NR<sup>5</sup>R<sup>6</sup>, (CO)NR<sup>5</sup>R<sup>6</sup>, O(CO)NR<sup>5</sup>R<sup>6</sup>, NR<sup>5</sup>OR<sup>6</sup>, C<sub>0-</sub>

~~alkylNR<sup>5</sup>(CO)OR<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>(CO)OR<sup>6</sup>, SO<sub>3</sub>R<sup>5</sup> and a 5- or 6-membered ring containing atoms independently selected from the group consisting of C, N, O and S;~~

X<sup>1</sup> is selected from the group consisting ~~[[of:]]~~ of N, NR<sup>4</sup> and CR<sup>4</sup>;

X<sup>2</sup> is selected from the group consisting ~~[[of:]]~~ of C and N;

X<sup>3</sup> is selected from the group consisting ~~[[of: CR<sup>4</sup>,]]~~ of N and O;

X<sup>4</sup> is selected from the group consisting ~~[[of:]]~~ of CR<sup>4</sup>, N, NR<sup>4</sup> and O;

X<sup>5</sup> is selected from the group consisting ~~[[of:]]~~ of a bond, CR<sup>4</sup>R<sup>4'</sup>, NR<sup>4</sup>, O, S, SO and SO<sub>2</sub>;

X<sup>6</sup> is selected from the group consisting of: CR<sup>4</sup> and N;

X<sup>7</sup> is selected from the group consisting ~~[[of:]]~~ of C and N;

R<sup>4</sup> and R<sup>4'</sup> are independently selected from the group consisting of hydrogen, halo, C<sub>1-6</sub>alkyl and C<sub>1-6</sub>alkylhalo;

Q is triazolyl;

~~R<sup>4</sup> is independently selected from a group consisting of hydrogen, hydroxy, C<sub>1-6</sub>alkyl, C<sub>0-6</sub>alkylcyano, oxo, =NR<sup>5</sup>, =NOR<sup>5</sup>, C<sub>1-4</sub>alkylhalo, halo, C<sub>3-7</sub>cycloalkyl, O(CO)C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkyl(SO)C<sub>0-4</sub>alkyl, C<sub>1-4</sub>alkyl(SO<sub>2</sub>)C<sub>0-4</sub>alkyl, (SO)C<sub>0-4</sub>alkyl, (SO<sub>2</sub>)C<sub>0-4</sub>alkyl, OC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkylOR<sup>5</sup> and C<sub>0-4</sub>alkylNR<sup>5</sup>R<sup>6</sup>;~~

~~Q is selected the group consisting of heterocycloalkyl and heteroaryl;~~

R<sup>2</sup> and R<sup>3</sup> are independently selected from the group consisting ~~[[of:]]~~ of hydroxy, C<sub>0-6</sub>alkylcyano, oxo, =NR<sup>5</sup>, =NOR<sup>5</sup>, C<sub>1-4</sub>alkylhalo, halo, C<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>0-6</sub>alkylaryl, C<sub>0-6</sub>alkylheteroaryl, C<sub>1-6</sub>alkylcycloalkyl, C<sub>0-6</sub>alkylheterocycloalkyl, OC<sub>1-4</sub>alkyl, OC<sub>0-6</sub>alkylaryl, O(CO)C<sub>1-4</sub>alkyl, (CO)OC<sub>1-4</sub>alkyl, C<sub>0-4</sub>alkyl(S)C<sub>0-4</sub>alkyl, C<sub>1-4</sub>alkyl(SO)C<sub>0-4</sub>alkyl, C<sub>1-4</sub>alkyl(SO<sub>2</sub>)C<sub>0-4</sub>alkyl, (SO)C<sub>0-4</sub>alkyl, (SO<sub>2</sub>)C<sub>0-4</sub>alkyl, C<sub>1-4</sub>alkylOR<sup>5</sup>, C<sub>0-4</sub>alkylNR<sup>5</sup>R<sup>6</sup> and a 5- or 6-membered ring containing atoms independently selected from C, N, O and S, which ring may

optionally be fused with a 5- or 6-membered ring containing atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or more A;

wherein any C<sub>1-6</sub>alkyl, aryl, or heteroaryl defined under R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup> may be substituted by one or more A;

A is selected from the group consisting of: hydrogen, hydroxy, halo, nitro, oxo, C<sub>0-6</sub>alkylcyano, C<sub>0-4</sub>alkylC<sub>3-6</sub>cycloalkyl, C<sub>1-6</sub>alkyl, -OC<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkylhalo, OC<sub>1-6</sub>alkylhalo, C<sub>2-6</sub>alkenyl, C<sub>0-3</sub>alkylaryl, C<sub>0-6</sub>alkylOR<sup>5</sup>, OC<sub>2-6</sub>alkylOR<sup>5</sup>, C<sub>0-6</sub>alkylSR<sup>5</sup>, OC<sub>2-6</sub>alkylSR<sup>5</sup>, (CO)R<sup>5</sup>, O(CO)R<sup>5</sup>, OC<sub>2-6</sub>alkylcyano, OC<sub>1-6</sub>alkylCO<sub>2</sub>R<sup>5</sup>, O(CO)OR<sup>5</sup>, OC<sub>1-6</sub>alkyl(CO)R<sup>5</sup>, C<sub>1-6</sub>alkyl(CO)R<sup>5</sup>, NR<sup>5</sup>OR<sup>6</sup>, C<sub>0-6</sub>NR<sup>5</sup>R<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>R<sup>6</sup>, C<sub>0-6</sub>alkyl(CO)NR<sup>5</sup>R<sup>6</sup>, OC<sub>1-6</sub>alkyl(CO)NR<sup>5</sup>R<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>(CO)R<sup>6</sup>, C<sub>0-6</sub>alkylNR<sup>5</sup>(CO)R<sup>6</sup>, C<sub>0-6</sub>alkylNR<sup>5</sup>(CO)NR<sup>5</sup>R<sup>6</sup>, O(CO)NR<sup>5</sup>R<sup>6</sup>, C<sub>0-6</sub>alkyl(SO<sub>2</sub>)NR<sup>5</sup>R<sup>6</sup>, OC<sub>2-6</sub>alkyl(SO<sub>2</sub>)NR<sup>5</sup>R<sup>6</sup>, C<sub>0-6</sub>alkylNR<sup>5</sup>(SO<sub>2</sub>)R<sup>6</sup>, OC<sub>2-6</sub>alkylNR<sup>5</sup>(SO<sub>2</sub>)R<sup>6</sup>, SO<sub>3</sub>R<sup>5</sup>, C<sub>1-6</sub>alkylNR<sup>5</sup>(SO<sub>2</sub>)NR<sup>5</sup>R<sup>6</sup>, OC<sub>2-6</sub>alkyl(SO<sub>2</sub>)R<sup>5</sup>, C<sub>0-6</sub>alkyl(SO<sub>2</sub>)R<sup>5</sup>, C<sub>0-6</sub>alkyl(SO)R<sup>5</sup>, OC<sub>2-6</sub>alkyl(SO)R<sup>5</sup> and a 5- or 6-membered ring containing atoms independently selected from the group consisting of C, N, O and S;

R<sup>5</sup> and R<sup>6</sup> are independently selected from, H, C<sub>1-6</sub>alkyl, C<sub>3-7</sub>cycloalkyl and aryl;

m is selected from 0, 1, 2, 3 or 4 1 or 2;

n is selected from 0, 1, 2, 3 or 4;

p is selected from 0, 1, 2, 3 or 4; ~~[[and]]~~ or

~~a salt or hydrate thereof;~~

~~with the proviso that the compound is not:~~

~~4,4'-(1,2-piperazinediyl)di-antipyrene;~~

~~4,4'-(1,2-piperazinediyl)di-antipyrene dihydrochloride; or~~

~~4,4'-(1,2-piperazinediyl)di-antipyrene dipicrate;~~

a pharmaceutically acceptable salt thereof.

2. **(Canceled)**

3. **(Original)** A compound according to claim 1 wherein  $X^7$  is C.

4. **(Withdrawn)** A compound according to claim 1 wherein  $X^5$  is selected from the group consisting of  $CR^4R^{4'}$ ,  $NR^4$ , O, S, SO and  $SO_2$ .

5-9. **(Canceled)**

10. **(currently amended)** A compound according to claim **[[9]] 1** wherein  $R^1$  is selected from the group consisting of: Cl, F, Me, OMe,  $CF_3$ ,  $OCF_3$ , and CN.

11. **(Original)** A compound according to claim 1 wherein  $X^2$  is C.

12. **(Original)** A compound according to claim 11 wherein  $X^1$  is N or  $CR^4$ .

13. **(Original)** A compound according to claim 12 wherein when  $X^3$  is O,  $X^4$  is N and when  $X^3$  is N,  $X^4$  is O.

14. **(Original)** A compound according to claim 1 wherein  $X^2$  is N.

15. **(Original)** A compound according to claim 14 wherein  $X^1$  is N.

16. **(Original)** A compound according to claim 15 wherein  $X^3$  is N and  $X^4$  is N or  $CR^4$ .

17. **(Canceled)**

18. **(Original)** A compound according to claim 12 wherein  $X^5$  is selected from the group consisting of a bond,  $CR^4R^4$ ,  $NR^4$  and O.

19. **(Original)** A compound according to claim 13 wherein  $X^5$  is selected from the group consisting of a bond, O and  $NR^4$ .

20. **(Withdrawn)** A compound according to claim 16 wherein  $X^5$  is selected from the group consisting of O and  $CR^4$ .

21-24. **(Canceled)**

25. **(Currently amended)** A compound according to claim 1 wherein  $R^2$  and  $R^3$  are independently selected from the group consisting ~~[[of:]]~~ of  $C_{1-4}$ alkylhalo,  $C_{1-6}$ alkyl,  $C_{3-6}$ cycloalkyl,  $C_{0-6}$ alkylaryl and  $C_{0-6}$ alkylheteroaryl.

26. **(Currently amended)** A compound according to claim 1 wherein A is selected from the group consisting of hydrogen, hydroxyl, halo, C<sub>0-6</sub>alkylcyano, C<sub>1-6</sub>alkyl, -OC<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkylhalo, OC<sub>1-6</sub>alkylhalo.

27. **(Currently Amended)** A compound according to claim 1 selected from:

4-(5-{2-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-piperidin-1-yl}-4-methyl-4H [1,2,4]triazol-3-yl)-pyridine,

3-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-4-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-morpholine,

3-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-4-[5-(4-difluoromethoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yl]-morpholine,

3-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-4-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-morpholine,

3-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-4-[5-(4-difluoromethoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yl]-morpholine,

3-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-4-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-piperazine-1-carboxylic acid tert-butyl ester,

2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-piperazine,

2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-4-methyl-1-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-piperazine,

3-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-4-[5-(4-difluoromethoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yl]-piperazine-1-carboxylic acid tert-butyl ester,

2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-[5-(4-difluoromethoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yl]-piperazine,

2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-[5-(4-difluoromethoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yl]-4-methyl-piperazine,

2-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]-1-{5-[4-(difluoromethoxy)phenyl]-4-methyl-4H-1,2,4-triazol-3-yl}piperidine,

4-(5-{2-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]piperidin-1-yl}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

2-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]-1-[5-(4-methoxyphenyl)-4-methyl-4H-1,2,4-triazol-3-yl]piperidine,

[4-(5-{2-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]piperidin-1-yl}-4-methyl-4H-1,2,4-triazol-3-yl)phenyl]dimethylamine,

[4-(5-{2-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-piperidin-1-yl}-4-methyl-4H-[1,2,4]triazol-3-yl)-benzyl]-dimethyl-amine,

{2-[4-(5-{2-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-piperidin-1-yl}-4-methyl-4H-[1,2,4]triazol-3-yl)-phenoxy]-ethyl}-dimethyl-amine,

(R)-3-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-4-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-morpholine,

(S) 3-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-4-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-morpholine,

(R)-2-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]-1-{5-[4-(difluoromethoxy)phenyl]-4-methyl-4H-1,2,4-triazol-3-yl}piperidine,

(S)-2-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]-1-{5-[4-(difluoromethoxy)phenyl]-4-methyl-4H-1,2,4-triazol-3-yl}piperidine,

(R)-4-(5-{2-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]piperidin-1-yl}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

(S)-4-(5-{2-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]piperidin-1-yl}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

4-[5-(5-{2-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-pyrrolidin-1-yl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridin-2-yl]-morpholine,

4-[5-(5-{2-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-pyrrolidin-1-yl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridin-2-yl]-morpholine,

3-(5-{2-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-pyrrolidin-1-yl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-pyrrolidin-1-yl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

3-[5-(3-Chloro-phenyl)-[1,2,4]oxadioazol-3-yl]-4-(5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-morpholine,

3-[5-(3-chlorophenyl)isoxazol-3-yl]-4-(4-cyclopropyl-5-pyridin-3-yl-4H-1,2,4-triazol-3-yl)morpholine,

3-[5-(3-chlorophenyl)isoxazol-3-yl]-4-(4-cyclopropyl-5-pyridin-4-yl-4H-1,2,4-triazol-3-yl)morpholine,

3-[5-(3-chlorophenyl)isoxazol-3-yl]-4-(4-methyl-5-pyridin-3-yl-4H-1,2,4-triazol-3-yl)morpholine,

3-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-4-[5-(6-methoxy-pyridin-3-yl)-4-methyl-4H-[1,2,4]triazol-3-yl]-morpholine,

3-[3-(3-chlorophenyl)-1,2,4-oxadiazol-5-yl]-4-[5-(2-methoxypyridin-4-yl)-4-methyl-4H-1,2,4-triazol-3-yl]morpholine,



3-[3-(3-chlorophenyl)-1,2,4-oxadiazol-5-yl]-4-[5-(2-methylpyridin-4-yl)-4-methyl-4H-1,2,4-triazol-3-yl]morpholine,

3-[3-(3-chlorophenyl)-1,2,4-oxadiazol-5-yl]-4-[5-(5-fluoropyridin-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl]morpholine,

3-[5-(3-chlorophenyl)isoxazol-3-yl]-4-[5-(5-fluoropyridin-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl]morpholine,

3-[3-(3-chlorophenyl)-1,2,4-oxadiazol-5-yl]-4-(4-methyl-5-pyridin-2-yl-4H-1,2,4-triazol-3-yl)morpholine,

4-[5-(5-fluoropyridin-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl]-3-[3-(3-iodophenyl)-1,2,4-oxadiazol-5-yl]morpholine,

3-[3-(3-iodophenyl)-1,2,4-oxadiazol-5-yl]-4-(4-methyl-5-pyridin-4-yl-4H-1,2,4-triazol-3-yl)morpholine,

3-[5-(3-chlorophenyl)isoxazol-3-yl]-4-[5-(2-methylpyridin-4-yl)-4-methyl-4H-1,2,4-triazol-3-yl]morpholine,

3-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]-4-(4-methyl-5-pyridin-3-yl-4H-1,2,4-triazol-3-yl)morpholine,

3-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]-4-[5-(3,5-difluorophenyl)-4-methyl-4H-1,2,4-triazol-3-yl]morpholine,

3-(5-{2-[5-(3-chlorophenyl)isoxazol-3-yl]pyrrolidin-1-yl}-4-cyclopropyl-4H-1,2,4-triazol-3-yl)pyridine, and

4-(5-{2-[5-(3-chlorophenyl)isoxazol-3-yl]pyrrolidin-1-yl}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine.

28. (**Currently amended**) A pharmaceutical composition comprising as active ingredient a therapeutically effective amount of the compound according to any one of claims [[1

to 26,]] 1, 3, 4, 10-16, 18-20, 25 and 26, in association with one or more pharmaceutically acceptable diluent, excipients and/or inert carrier.

29. **(Canceled)**

30. **(Previously Presented)** The compound according to claim 1, for use in therapy.

31. **(Previously Presented)** The compound according to claim 1, for use in treatment of mGluR 5 mediated disorders.

32. **(Withdrawn)** Use of the compound according to claim 1, in the manufacture of a medicament for the treatment of mGluR 5 mediated disorders.

33. **(Currently Amended - Withdrawn)** A method of treatment of mGluR 5 mediated disorders, comprising ~~administering~~ administering to a mammal, including man in need of such treatment, a therapeutically effective amount of the compound according to claim 1.

34. **(Currently Amended - Withdrawn)** The method according to claim 33, ~~for use in treatment of~~ wherein the disorders mediated by mGluR 5 are neurological disorders.

35. **(Currently Amended - Withdrawn)** The method according to claim 33, ~~for use in treatment of~~ wherein the disorders mediated by mGluR 5 are psychiatric disorders.

36. **(Currently Amended - Withdrawn)** The method according to claim 33, ~~for use in treatment of~~ wherein the disorders mediated by mGluR 5 are chronic and acute pain disorders.

37. **(Currently Amended - Withdrawn)** The method according to claim 33, ~~for use in treatment of~~ wherein the disorders mediated by mGluR 5 are gastrointestinal disorders.

38. **(Withdrawn)** A method for inhibiting activation of mGluR 5 receptors, comprising treating a cell containing said receptor with an effective amount of the compound according to claim 1.